

OF SCIENCE AND TECHNOLOGY

Environmental Health and Safety

2408 Wanda Daley Drive Ames, Iowa 50011-3602 Phone: 515 294-5359 www.ehs.iastate.edu

Confidential

AED Incident Report

Confidential

□ Yes □ Yes □ Yes □ Yes □ Yes □ Yes □ Device type:	□ No □ No □ No □ No □ No		
□ Yes □ Yes □ Yes □ Yes □ Yes □ Device type:	□ No □ No □ No □ No □ No		
☐ Yes☐ Yes☐ Yes☐ Yes☐ Yes☐ Device type:	□ No □ No □ No □ No □ S: □ Durposes of complete		
☐ Yes☐ Yes☐ Yes☐ Yes☐ Yes☐ Device type:	□ No □ No □ No □ No □ No		
☐ Yes☐ Yes☐ Yes☐ Yes☐ Yes☐ Device type:	□ No □ No □ No □ No □ S: □ Durposes of complete		
☐ Yes☐ Yes☐ Yes☐ Yes☐ Yes☐ Device type:	□ No □ No □ No □ No □ S: □ Durposes of complete		
□ Yes □ Yes □ Yes □ Device type:	□ No □ No □ No □ S: □		
□ Yes □ Yes □ Device type:	□ No □ No □ No		
□ Yes Device type:	□ No		
Device type:	e: ourposes of complet		
ential except for p	purposes of complet		
ential except for p	purposes of complet		
ential except for p	ourposes of complet		
ential except for p	ourposes of complet		
ential except for p	ourposes of complet		
	•	ting this report.	
Staff	I II St INAIII C.		
	□ Student	□ Visitor	
		□ Student	First Name: Visitor Visitor Visitor Patient transported to: